



CORPORATION OF THE TOWNSHIP OF ORO-MEDONTE

OCS 2023-011

SUPPLY AND DELIVERY OF TWO (2) 2023-2024 – ONE (1) TON TRUCK CHASSIS CREW CAB, DUAL REAR WHEELS WITH 9FT DUMP BODY

***Please return quotation via email Kmusso Garcia@oro-medonte.ca . If quotations are delivered by hand, they shall be delivered to the Township of Oro-Medonte, Administration Centre, 148 Line 7 South, Oro-Medonte, Ontario L0L 2E0.
Attn: Karla Musso-Garcia.***

All quotations are to be received no later than Tuesday, September 26th 14:00:00 hours (2:00pm) local time.

Late Bids shall not be accepted.

If further information is required, contact the following in writing up to and no later than 14:00:00 hours (2:00 pm) local time on **Thursday, September 21st, 2023**

Karla Musso-Garcia , C.E.T
Manager, Operations
Telephone: (705) 487-2171, Ext. 2124
Fax: (705)487-2171
kmussogarcia@oro-medonte.ca

Scott Thomson, CRS-I
Supervisor, Fleet
Telephone: (705) 487-2171, Ext. 2904
Fax: (705)487-2171
Sthomson@oro-medonte.ca

The Owner reserves the right to accept or reject all or part of any Bid and also reserves the right to accept other than the lowest Bid and to cancel this Call for Bids at any time.

THE CORPORATION OF THE TOWNSHIP OF ORO-MEDONTE

BID REFERENCE: OCS 2023-011

**FOR: SUPPLY AND DELIVERY OF TWO (2) 2023-2024 – ONE (1) TON TRUCK
CHASSIS CREW CAB, DUAL REAR WHEELS WITH 9FT DUMP BODY**

THIS BID IS SUBMITTED BY:

NAME OF BIDDER:

HEAD OFFICE ADDRESS:

CITY: _____ POSTAL CODE: _____

PROVINCE: _____

TELEPHONE NO: _____

E-MAIL ADDRESS:

BIDDERS H.S.T. NO:

NAME OF AUTHORIZED PERSON(S):

POSITION:

(print)

(print)

(print)

(print)

GENERAL

The unit shall be supplied in a ready to operate condition.

The unit shall be a new, currently produced product of a well-established manufacturer.

The bidder shall satisfy the Township that they maintain personnel and equipment for prompt, complete servicing, and a stock of all necessary replacement parts. All replacement parts and major exchange components shall be available within 24 hours.

The unit shall be complete in all aspects as specified or implied, suitable to perform in the manner for which it is intended.

**SPECIFICATION AND CONFIRMATION FOR
TWO (2) 2023-2024 – ONE (1) TON TRUCK CHASSIS CREW CAB, DUAL REAR
WHEELS WITH 9FT DUMP BODY**

1.0 DETAIL REQUIREMENTS:

2023 or 2024 Two (2) - One (1) Ton Truck Chassis, crew cab, 2WD, dual rear wheels with 9ft dump body, all in accordance with the following required specifications:

1.1 YEAR, MAKE AND MODEL OFFERED:

State Year, Make and Model

SPECIFY: _____
(Year)

SPECIFY: _____
(Make/Model)

1.2 G.V.W. RATING:

13,200 lb (5,988 kg) minimum

SPECIFY: _____

Front Axle – 5,900 lb (2,676 kg)

SPECIFY: _____

Rear Axle – 8,000 lb (3,629 kg)

SPECIFY: _____

Dual rear wheels

SPECIFY: _____

1.3 WHEELBASE:

Shall be compatible with body offered.

SPECIFY: _____

171” (4,343mm) wheelbase

- 1.4 C.A. DIMENSION:
 Shall be compatible with body offered.
 60" (1,524mm) CA
- SPECIFY: _____
 SPECIFY: _____
 SPECIFY: _____
- 1.5 ENGINE:
 Diesel engine 6.5 L minimum
 HP @ Peak RPM
 Fuel tank capacity 95 L minimum – Single Tank
 Fuel tank fill neck must be easily accessible and provide sufficient refuelling fill rate with body offered.
 Heavy duty engine cooling package
 Standard coolant block heater
 Long-life type, anti-freeze (minimum -40°C)
- SPECIFY: _____
 SPECIFY: _____
 SPECIFY: _____
 SPECIFY: _____
 SPECIFY: _____
 SPECIFY: _____
- 1.6 TRANSMISSION:
 Heavy duty, 10-speed automatic transmission with largest available factory installed auxiliary external oil cooler installed in front of engine radiator.
- SPECIFY: _____
- 1.7 AXLE AND SPRINGS:
 Shall have heavy duty springs with sufficient capacity at ground to permit required GVW rating (including the options ordered)
 State front springs capacity
 State rear springs capacity
 Shall have heavy duty shock absorbers on front and rear.
 Dual rear wheels
- SPECIFY: _____
 SPECIFY: _____
 (Rated Capacity - Front)
 SPECIFY: _____
 (Rated Capacity - Rear)
 SPECIFY: _____
 SPECIFY: _____
 SPECIFY: _____

- 3.73 gear ratio with anti-spin rear axle
SPECIFY: _____
- 1.8 **BRAKES:**
Power with manufacturer's standard 4-wheel ABS
SPECIFY: _____
- 1.9 **STEERING:**
Power assisted with cooler
SPECIFY: _____
- 1.10 **BATTERY:**
Dual 12-volt heavy duty batteries, 700 CCA minimum each, suitable for optional equipment
SPECIFY: _____
- 1.11 **ALTERNATOR:**
125A minimum, low speed cut-in and suitable for optional equipment
SPECIFY: _____
- 1.12 **TIRES:**
Shall have seven (7) first line light truck (LT) radial tires and steel rims, size and rating shall be compatible with G.V.W.R.
SPECIFY: _____
- Tires sized appropriately for vehicle, all-terrain aggressive tread
SPECIFY: _____
- 1.13 **COLOUR – CAB:**
White to be selected from manufacturer's standard colour charts.
SPECIFY: _____
- Interior and exterior painted surfaces shall match.
SPECIFY: _____
- Interior to be selected from manufacturer's standard.
SPECIFY: _____
- State if paints used are mercury-free, cadmium-free, lead-free and hexavalent chromium free.
SPECIFY: _____
- 2.0 EQUIPMENT:**
All standard equipment including the following if not classified as standard shall be supplied and fully installed at no extra cost:
- Front 40/20/40 vinyl foam split bench seat with adjustable height head rests, and back angle.
SPECIFY: _____
- Rear 60/40 vinyl foam split bench seat with adjustable height head rests

Seat-to-back angle approximately 105°	SPECIFY: _____
CSA approved seat belts with retractors.	SPECIFY: _____
Running boards 8" wide, heavy duty, open grate with Non-slip serrated surface with end cap, shall be placed on each side of vehicle extending from front fender to behind cab. Running boards must be frame mounted.	SPECIFY: _____
Dual sun visors	SPECIFY: _____
Heavy duty rubber floor covering	SPECIFY: _____
Front bumper, manufacturer's standard	SPECIFY: _____
Windshield wipers and washers with variable intermittent feature	SPECIFY: _____
Dual note electric horn	SPECIFY: _____
Tilt steering wheel	SPECIFY: _____
Interior mirror – day/night type	SPECIFY: _____
Two (2) outside rear view mirrors, below eye level type, fully extendable and suitable for trailer towing	SPECIFY: _____
Manufacturer's standard driver and passenger air bag restraint system	SPECIFY: _____
Necessary lights to meet Highway Regulations for vehicle offered.	SPECIFY: _____
Manufacturer's AM/FM radio with Bluetooth, factory installed.	SPECIFY: _____
Manufacturer's standard air conditioning, factory installed.	SPECIFY: _____
Multi-frequency back-up alarm (Brigade BBS-87), or approved equivalent	SPECIFY: _____
Supply and install back-up camera	SPECIFY: _____

All aftermarket terminals and electrical splices shall be crimped, soldered and completely insulated with heat shrink tubing.

SPECIFY: _____

Three (3) complete sets of ignition and door lock keys shall be provided.

SPECIFY: _____

Manufacturer installed TEN (10) minute engine idle shutdown idle timer

SPECIFY: _____

3.0 **DUMP BODY:**

Dump body, length 9' (2.74 m)

SPECIFY: _____
(Make/Model)

Width 86" (2.18 m) inside dimension

SPECIFY: _____

Full length side walls (street and curb side) 15" (381mm) in height from body floor, hinged down type with pockets for 2"x6" planks for additional height

SPECIFY: _____

Curb side, hinged side wall shall have step built into the inner side to provide step extension from body mounted step. Foot hold must be recessed into centre of side panel 5"x24" (13cmx61cm). One (1) 24" (61cm) in length grab handle, mounted on front wall to assist operator to maintain 3-point contact. Fixed ladder steps mounted on lower body to assist operator in climbing into body. First step to be 19" (48cm) from ground level and additional steps spaced evenly at maximum 12" (30cm) apart, taking into consideration of fold down wall step. Steps must 6" Dx24"W (15cmx61cm) (location to be determined at pre-production meeting)

SPECIFY: _____

Double acting tailgate, 21" (533mm) inside dimension, with safety chains.

SPECIFY: _____

Tailgate to have quick disconnect latch pins with cable lanyards.

SPECIFY: _____

Front wall shall be cab height and include screened

grid window for ease of viewing approximately 36"x14" (914mmx356mm)

SPECIFY: _____

Overhead cab shield to extend 16" (41cm) from front wall. Shield must be full width of front wall and corners angled inwards 15° (determined at pre-production meeting)

SPECIFY: _____

Side walls, front wall and tailgate must have smooth interior

SPECIFY: _____

Body floor smooth aluminium sheet 5083 minimum ¼"

SPECIFY: _____

Front wall formed aluminium ¼" 5083

SPECIFY: _____

Side walls and tailgate inner skin ¼" aluminium with 1/8" formed outside skin

SPECIFY: _____

All crossmembers to be 3" formed 6061-T6 aluminium on 12" (305mm) centres.

SPECIFY: _____

Longsills must be sized for maximum capacity constructed of ¼" structural 6061-T6 aluminium.

Continuous welding inside and out

SPECIFY: _____

Dump body safety props should be located in hoist frame to allow maintenance staff access to underbody. Design to avoid operator from entering a pinch point situation when engaging safety props (approved at pre-production meeting)

SPECIFY: _____

Fold down sides must not contact tires

SPECIFY: _____

Two (2) tool holders mounted on curb side, front of dump body. Tool holder must be designed to allow for ease of accessibility from ground level (approved at pre-production meeting)

SPECIFY: _____

Six (6) hinged D-rings to be recessed into platform floor.

D-rings to be mounted at front, centre and rear of platform, 3" (8cm) from side wall (approved at pre-production meeting)

SPECIFY: _____

Two (2) hinged D-rings mounted to upper front wall interior of body 6" (15cm) from side wall (approved at pre-production meeting)

SPECIFY: _____

Rear tail/signal, reverse and marker lamps shall be LED rubber mounted flush into dump body rear vertical support beams.

SPECIFY: _____

Licence plate and light shall be installed street side rear of chassis in protected and visible area.

SPECIFY: _____

All lamps shall comply with Ministry of Transportation Regulations

SPECIFY: _____

All electrical connections shall be assembled with dielectric silicone grease or approved equivalent

SPECIFY: _____

Nylon mesh tarp controlled by winch type system; roller mounted to front wall (**no side arms due to hinge fold down sides**). Bar to latch to tailgate to secure tarp. Tarp control must be at base of floor. Pulleys and belts must be enclosed in body.

SPECIFY: _____

3.1 HOIST AND PUMP:

8-ton (7,257 kg) capacity, front mounted, telescopic type

SPECIFY: _____

Electric over hydraulic power pack sized for maximum hoist/body capacity.

SPECIFY: _____

In cab hoist controls

SPECIFY: _____

Hydraulic power pack mounted in a protected area and accessible for ease of maintenance.

SPECIFY: _____

Electric over hydraulic control valves with adjustable manual override

SPECIFY: _____

Hydraulic valves shall be proportionally controlled, pressure and flow compensating with load hold capability.

SPECIFY: _____

Hydraulic pressures must not exceed 3000psi.

SPECIFY: _____

Reservoir must provide sufficient volume for hoist operation and provide a filtering system.

SPECIFY: _____

Hydraulic power pack must be fuse protected and wired to truck battery.

SPECIFY: _____

All electrical wiring, connections and electric over hydraulic control valve shall be protected against corrosion (enclosure) from salt

SPECIFY: _____

3.2 SPLASH GUARDS:

Splash guards shall be supplied and installed behind front axle wheels and in front of and behind rear drive wheels. No dealer decals on splash guards

SPECIFY: _____

3.3 Trailer Hitch:

Rear chassis mounted adjustable pintle plate, supported and welded to end of frame. Plate mounted in-line with rear of body. Curt Hitch 48190 with safety pin, two (2) safety chain eyes 3" (76 mm) inside diameter. Pintle plate sized and reinforced for maximum trailer towing capacity. Pintle plate painted black. Pintle height 19" (482mm) from ground

SPECIFY: _____

Complete installation of wiring and other components necessary for the operation of lights, brake lights, electric brakes and directional signals on towed trailers. Including charge circuit Socket connector at rear of truck must be 7- blade RV style socket. Wiring to be protected by boot.

SPECIFY: _____

Vehicle to be equipped with factory installed electronic brake controller

SPECIFY: _____

Vehicle offered must also include any vehicle manufacturer trailer package upgrade for suspension, braking and related components.

SPECIFY: _____

4.0 SAFETY LIGHTING:

Supply and install one (1) amber beacon, SWS model# 10103 permanent mount with multiple flash pattern. Light mounted, centre in forward position on cab shield. Must be visible from sides, front and rear of vehicle. Switch mounted in cab accessible to operator (approved at pre-production meeting)

SPECIFY: _____

4.1 Supply and install one (1) traffic director SWS model# 57348 mounted centre, rear of beacon light on cab shield. Controller mounted in cab, accessible to operator (approved at pre-production meeting).

SPECIFY: _____

5.0 PRE-PRODUCTION MEETING:

Pre-Production Meeting shall take place before commencing any work. Contact for pre-production information, inspections or delivery contact Scott Thomson, Fleet Coordinator sthomson@oro-medonte.ca

SPECIFY: _____

6.0 RUSTPROOFING:

Completely rustproof by the **Krown Rust Control** process **ONLY**, by a certified dealer. The certificate and guarantee for such rustproofing must be made out fully in the name of the Township of Oro-Medonte and supplied when the vehicle is delivered.

SPECIFY: _____

7.0 GVWR PLATE:

GVW rating plate on Kg to be affixed to the chassis.

SPECIFY: _____

8.0 MANUALS:

One (1) Operator's Manual to be supplied with vehicle.

SPECIFY: _____

One (1) complete set of Service Manual, Parts Manual including Full Emissions, Engine, Transmission, Wiring and Body Manual, Saved in Digital format.

SPECIFY: _____

9.0 WARRANTY:

The warranty shall include but not be limited to the following at no cost to the Township Of Oro-Medonte.

- a) All costs including but not limited to labour, travel time and mileage; associated with defects in parts, materials and work quality and all repairs, replacements, modifications, alterations, or changes.

b) All costs associated with the transporting of the product(s) offered to affect the repairs and returning it(them) to the site.

SPECIFY: _____

c) All costs associated with the transporting of service personnel and their tools to effect repairs and returning them to their successful bidder's shop.

SPECIFY: _____

d) Any applicable taxes

SPECIFY: _____

Bidder shall supply complete OEM warranty booklet including all details and options requested.

SPECIFY: _____

Warranty on complete unit (mechanical, electrical and workmanship) unit including all parts and labour from date unit is placed in service, three (3) years.

SPECIFY: _____

Warranty starts on in service date.

SPECIFY: _____

SPECIFY: _____
(#months)

SPECIFY: _____
(#km)

10.0 PARTS AND SERVICE:

The bidder maintains parts and service facilities with qualified personnel and OEM replacement parts for the vehicle and body offered in or near the Simcoe county area.

SPECIFY: _____

State location and phone number of parts/service facility

SPECIFY: _____
(Location)

SPECIFY: _____
(Phone Number)

Servicing/parts facility shall provide complete OEM approved servicing for the vehicle and body offered.

SPECIFY: _____

Servicing/parts facility shall provide a complete stock of all necessary replacement parts for the vehicle offered. All replacement and major exchange components shall be delivered within 48 hours of placement of a purchase order.

SPECIFY: _____

11.0 MARKINGS AND DECALS:

No decals or name plates to be affixed at any location on the vehicle.

SPECIFY: _____

12.0 PERFORMANCE EVALUATION:

Bidders shall be prepared, if requested, to arrange for a demonstration of the product offered.

In addition to meeting the specification requirements, the evaluation may include, but not be limited to the following:

- ergonomic features
- safety features
- ease of use
- ease of maintenance

13.0 MANDATORY COMMERCIAL VEHICLE INSPECTION STICKER AND CERTIFICATES (PMCVI):

Vehicle shall be certified in accordance with the Traffic Act, Ontario Reg. 611. An annual inspection sticker must be affixed on the left side of cab. Certificates of inspection shall be provided and made out fully in the name of the Township of Oro-Medonte

SPECIFY: _____

13.1 License

Current license plate and validation sticker to end of calendar year. Licensed at 11,000kg

SPECIFY: _____

14.0 STANDARDS COMPLIANCE:

The vehicle supplied with or without attachments/options as specified, shall comply with current EPA, Highway Traffic Act, Occupational

Health and Safety Act, and all other applicable standards and regulations.

SPECIFY: _____

15. OVERALL SAFETY:

Crew Cab truck chassis, 2WD, dual rear wheels with 9ft dump body, including any options ordered should meet or exceed the following acts, regulations, or standards, where applicable:

Occupational Health & Safety Act, 1990 including but not limited to Section 25 – Duties of Employers, Section 27 - Duties of Supervisor, and Section 28 - Duties of workers.

SPECIFY: _____

Industrial Establishments Regulation (Reg. 851)- Ontario including but not limited to Section 12 – Premises, Section 25 – Machine Guarding, Section 26 – Machine Guarding, Section 75 – Maintenance and Repairs (Blocking), Section 76 – Maintenance and Repairs (Lock-Out), and Section 85 – Protective Equipment

SPECIFY: _____

ISO (International Standards Organization) [14119](#)
Interlocking devices associated with guards- principles for design and selection

SPECIFY: _____

ISO (International Standards Organization) [4413](#)
Safety requirements for fluid power systems and components - Hydraulics

SPECIFY: _____

The equipment shall comply with all applicable standards and regulations whether listed in specifications or not

SPECIFY: _____

BID PRICE – OCS-2023-011

I/We the undersigned do hereby agree to supply to the Township of Oro-Medonte with, **two (2) 2023-2024 – ONE (1) TON TRUCK CHASSIS CREW CAB, DUAL REAR WHEELS WITH 9FT DUMP BODY** in accordance with the provided specifications, for the following price, FOB 148 Line 7 South, Oro-Medonte, ON, L0L 2E0.

Price shall be submitted in Canadian funds.

MODEL YEAR: _____ MAKE: _____ MODEL: _____
 MODEL YEAR: _____ MAKE: _____ MODEL: _____

DESCRIPTION	QUANTITY	PRICE PER UNIT	TOTAL PRICE
TWO (2) 2023-2024 – ONE (1) TON TRUCK CHASSIS CREW CAB, DUAL REAR WHEELS WITH 9FT DUMP BODY	2	\$	\$
	Subtotal	\$	\$
	HST	\$	\$
	Total	\$	\$

DELIVERY DATE

Delivery of the vehicle/equipment identified within this Request for Proposal is preferred no later than Dec 1, 2023. Preference will be given to submissions that are able to meet this delivery date.

Proponents unable to meet this delivery date, shall specify the date that the equipment/vehicle will be delivered to the Township of Oro-Medonte below.

PROPOSED EQUIPMENT/VEHICLE DELIVERY DATE: _____

Time shall be the essence of the contract. Equipment/vehicles shall be delivered on the proposed delivery date identified, failing which the Township reserves the right to cancel the order without penalty or prejudice or apply a late delivery penalty.

The Bidder hereby bids and offers to enter into the Contract referred to and to supply and do all or any part of the Work which is set out or called for in this Bid, at the unit prices, and/or lump sums, hereinafter stated. The Bid amount shall include all costs incurred, excluding H.S.T.

The Bidder also understands and accepts that the quantities shown in the Bid Documents are approximate estimates only and are subject to increase, decrease or deletion entirely if found not to be required.

BIDDER DECLARATION

To The Corporation of the Township of Oro-Medonte, Hereafter called the "Owner":

I/WE _____ hereafter called the "Bidder" declare:

1. THAT the Bidder has carefully examined the locality and site of the proposed works, as well as all the Bid Documents (including any Health & Safety Regulations) relating thereto, prepared, submitted and rendered available by the Owner, and hereby acknowledge the same to be part and parcel of any contract to be let for the Work therein described or defined.
2. THAT this Bid Form has not been changed or altered in any way from the original wording.
3. THAT no person(s), firm or corporation other than the one(s) bidding has any interest in this Bid or in the Contract proposed to be undertaken.
4. THAT this Bid is made without any connections, knowledge, comparison of figures or arrangements with any other company, firm or person making a bid for the same work and is in all respects fair and without collusion or fraud.
5. THAT the Bidder represents no member of Council, and no officer or employee of the Owner, is, or has become interested, directly or indirectly, as a contracting party, partner, stockholder, surety or otherwise howsoever in or on the performance of the said contract, or in the supplies, work or business in connection with the said contract, or in any portion of the profits thereof, or of any supplies to be used therein, or in any monies to be derived there from if the Bidder is selected as the successful Bidder.
6. That the Bidder does not have any perceived or actual Conflict of Interest as defined in the Bid in providing a response to this Call for Bid, or in providing the Work under the contract contemplated for the Project, if awarded a contract by the Owner.
7. THAT all representations made in the said Bid are in all respects true accurate and complete.
8. THAT the Bidder hereby bid and offer to enter into a contract to do all the work and to provide all of the labor and to furnish, deliver, place and erect all materials mentioned and described or implied therein including in every case freight, duty, currency exchange, taxes, in effect on the date of the acceptance of bid, and all other charges on the provisions therein set forth and to accept in full payment therefore, in accordance with the prices and terms set forth in the Bid herein.

9. THAT additions or alterations to or deductions from the said Contract, if any, shall be made in accordance with the prices stated in Provisional Items of the Schedule of Unit prices in strict conformity with the requirements of the Contract and all unused monies in Provisional Items shall be deducted from the final cost of the Work and any quantities exceeding those shown will be added.
10. THAT the Bidder agrees to save the Owner, its officers, agents, and/or employees, harmless from liability of any kind for the use of any design, composition, secret process, invention, article or appliance furnished or used in this Bid of which the Bidder is not the patentee, assignee, or licensee.
11. THAT the Bidder acknowledges that, except for any matters specifically disclosed by the Bidder in the Bidder's Bid with respect to the following matters (hereafter called the "Disclosure"):
 - a) The Bidder is not currently the subject of legal proceedings by the Township of Oro-Medonte in respect of Township's Property Standards By-law or Zoning By-laws.
 - b) The Bidder has not been convicted by a court of such a matter set out in (a) above where the contravention remains.
 - c) The Bidder is not a named party in litigation, judicial or arbitral proceedings against or by the Township with respect to any other procurement, contract or business transaction.

The Bidder agrees that its Disclosure, if any, shall provide specific details of the Disclosure. The Bidder further agrees that the Owner shall be entitled at its sole discretion to reject this Bid as a result of any Disclosure.

12. THAT if the Bidder withdraws this Bid in contravention of Section 12.1, Document 1, Instructions to Bidder, the Bid Security shall be forfeited to the Owner.
13. THAT the awarding of the contract, by the Owner is based on this submission, which shall be an acceptance of this Bid.
14. THAT if the Bid is accepted, the Bidder agrees to furnish all documentation, security and certifications as required by the contract document and to execute the agreement in triplicate within Seven (7) Working Days after notification of award. If the Bidder fails to do so, then as in Section 12 above, Bidder's Bid Security shall be forfeited to the Owner and the Owner may accept the next lowest or any bid or advertise for new bids, or carry out completion of the Work in any other way it deems best and the Bidder also agree to pay to the Owner the difference between this Bid and any greater sum which the Owner may expend or incur by reason of such default or failure or by reason of such action as aforesaid on their part, including the cost of any advertisement for new bids, in excess of the Bid Security, and shall indemnify and save

harmless the Owner and their officers, agents and/or employees from all loss, damage, cost, charges and expense which they may suffer or be put to by reason of any such default or failure on Bidder's part.

15. THAT the Bidder proposes to engage the sub-Contractors and obtain materials and equipment from the Bidders and manufacturers listed in the schedules on the following pages headed "Schedule of sub-Contractors" and "Schedule of Bidders and Manufacturers".
16. THAT the Bidder agrees to adhere to the Accessibility for Ontarians with Disability Act 2005 and all Occupational Health and Safety standards and requirements as set out within the Occupational Health and Safety and the Safety Standards Sections of the Bid Document.
17. THAT **Addendum/Addenda** from Addendum No. ___ to Addendum No. ___ inclusive relating to the said Bid have been received and the Bidder hereby accepts and agrees to the same as forming part of the said Bid said Contract.
18. THAT I/WE understand the Pricing shall be announced as stated in Item 19.
19. **THAT THE BIDDER ACKNOWLEDGES THE TOTAL BID PRICE TO COMPLETE THE PROJECT EXCLUDING HST SHALL BE:**

_____ DOLLARS (\$_____) in lawful money of Canada.

20. **THAT the undersigned affirms, that the undersigned is duly authorized to complete this Bid by signing it.**

LEGAL NAME OF BIDDER: _____

SIGNATURE: _____
(I have authority to bind the Bidder)

DATED AT _____, (City/Town) this _____ Day of _____, 20__.

IF BIDDER IS A SOLE PROPRIETORSHIP, JOINT VENTURE OR PARTNERSHIP, REFER TO THE DEFINITION OF AUTHORIZED PERSON AND SIGN AS APPLICABLE AND ADD ADDITIONAL SIGNATURE PAGES IF NECESSARY.

SUBMISSION LABEL

From: _____

Contact: _____

Telephone: _____

Deliver to:
The Corporation of The Township of Oro-Medonte
ATTN: Karla Musso-Garcia C.E.T., Manager-Operations
148 Line 7 South Oro-Medonte
Oro-Medonte, ON L0L 2E0

SEALED BID:

QUOTATION NUMBER: OCS 2023-011

For Township Office use only

DESCRIPTION: two (2) 2023-2024 – ONE (1) TON TRUCK CHASSIS CREW CAB, DUAL REAR WHEELS WITH 9FT DUMP BODY

Date and Time Received: _____

CLOSING DATE: Tuesday, September 26, 2023

Received By: _____

THIS PAGE MUST BE AFFIXED TO THE ENVELOPE WITH THE SUBMISSION