

This drawing, as an instrument of service, is provided by and is the property of Davenport Architectural Corp.  
 The contractor must verify and accept responsibility for all dimensions and conditions on site and must notify company of any variations from the supplied information.  
 The company is not responsible for the accuracy of survey, structural, mechanical, electrical, etc., information shown on this drawing. Refer to the appropriate consultant's drawing.  
 Construction must conform to all applicable codes and requirements of authorities having jurisdiction.  
 The contractor working from drawings specifically marked "For Construction" must assume full responsibility and bear costs for any corrections or damages resulting from this work.


1.	ISSUED FOR PRICING	15/5/19
REV.	DESCRIPTION	DATE

**GENERAL NOTES**


**LEGEND**

- NEW WORK PROPOSED
- DENOTES ITEMS TO BE REMOVED
- REQUIRED FRR SEPARATION LOCATION
- EXIT LIGHT
- EMERGENCY LIGHT C/ BATTERPACK
- 1 OR 2 HEAD REMOTE EMERGENCY LIGHT
- MIN. 10LBS ABC TYPE FIRE EXTINGUISHER
- SMOKE DETECTOR/ALARM
- CARBON MONOXIDE DETECTOR/ALARM
- LOW NOISE 100 CFM EXHAUST FAN
- FRRH FROST PROOF HOSE BIB
- HYDRO METER
- GAS METER
- SIGNAGE FOR POSTED OCCUPANT LOAD
- WEeping TILE LINE
- STANDARD 120V DUPLEX RECEPTACLE
- GFI = GROUND FAULT INTERRUPT
- INSTALLED BY LICENCED ELECTRICIAN


NOTE: E = EXISTING TO REMAIN NO DESIGNATION  
 R = EXISTING TO BE REMOVED  
 N = NEW  
 N.I.C. = NOT IN CONTRACT  
 O.C. = ON CENTER  
 PTWD = PRESSURE TREATED WOOD



1 EXISTING BASEMENT PLAN  
 3/16" = 1'-0"




2 EXISTING FIRST FLOOR PLAN  
 3/16" = 1'-0"



3 TYPICAL BUILDING SECTION  
 3/16" = 1'-0"

**DOOR SCHEDULE**

DR	EXISTING DOOR TO REMAIN
DD	EXISTING DOOR TO BE REMOVED
D1	NEW 1HR FRR STEEL DOOR IN STEEL FRAME REMOVE EXISTING FRAME/DOOR AS REQUIRED. PROVIDE NEW LEVER LOCKSET AND CLOSER FOR POSITIVE LATCHING. NOTE DOOR IS NOT STANDARD SIZE.
D2	NEW 1 3/4" SOLID WOOD DOOR TO MEET REQUIREMENTS FOR CLOSURE IN 1HR FRR WALL PROVIDE NEW LEVER PASSAGE SET AND CLOSER



architecture interior design heritage  
**Davenport Architectural Corp**  
 28 Dunlop Street West  
 4th Fl., Ontario  
 L4N 1A2  
 705-722-4899

PROJECT  
**JARRATT COMMUNITY HALL**  
 857 Horeshoe Valley E., Coldwater  
 ORO-MEDONTE, ONTARIO

TITLE  
**FLOOR PLANS**  
 TYPICAL BUILDING SECTION


CHECKED BY	RM	DATE	05/09/19
DRAWN BY	RM	SCALE	AS NOTED
PROJECT No.	1843	PAGE No.	A1.1

This drawing, as an instrument of service, is provided by and is the property of Davenport Architectural Corp.  
 The contractor must verify and accept responsibility for all dimensions and conditions on site and must notify company of any variations from the supplied information.  
 The company is not responsible for the accuracy of survey, structural, mechanical, electrical, etc., information shown on this drawing. Refer to the appropriate consultant's drawing.  
 Construction must conform to all applicable codes and requirements of authorities having jurisdiction.  
 The contractor working from drawings specifically marked "For Construction" must assume full responsibility and bear costs for any corrections or damages resulting from this work.

1.	ISSUED FOR PRICING	15/5/19
REV.	DESCRIPTION	DATE

**GENERAL NOTES**


- LEGEND**
- NEW WORK PROPOSED IN THIS PART OF EXISTING BUILDING
  - DENOTES ITEMS TO BE REMOVED
  - REQUIRED FRR SEPARATION LOCATION
  - EXIT LIGHT
  - EMERGENCY LIGHT C/ BATTERYPACK
  - 1 OR 2 HEAD REMOTE EMERGENCY LIGHT
  - MIN. 10LBS ABC TYPE FIRE EXTINGUISHER
  - SMOKE DETECTOR/ALARM
  - CARBON MONOXIDE DETECTOR/ALARM
  - LOW NOISE 100 CFM EXHAUST FAN
  - FROST PROOF HOSE BIB
  - HYDRO METER
  - GAS METER
  - SIGNAGE FOR POSTED OCCUPANT LOAD
  - WEeping TILE LINE
- NOTE: E = EXISTING TO REMAIN NO DESIGNATION  
 R = EXISTING TO BE REMOVED  
 N = NEW  
 N.I.C. = NOT IN CONTRACT  
 O.C. = ON CENTER  
 PTWD = PRESSURE TREATED WOOD




**1 EXISTING BASEMENT PLAN**  
 3/16" = 1'-0"

**DOOR SCHEDULE**


- DR EXISTING DOOR TO REMAIN
- DD EXISTING DOOR TO BE REMOVED
- D1 NEW 1 3/4" SOLID WOOD DOORS IN STEEL FRAME SUITABLE FOR APPLICATION IN 1HR FRR FIRE SEPARATION PROVIDE NEW LEVER LOCKSET AND CLOSER FOR POSITIVE LATCHING. NOTE ASTRAGAL IS REQUIRED
- D2 NEW 1 3/4" SOLID WOOD DOOR SUITABLE TO MEET REQUIREMENTS FOR CLOSURES IN 1HR FRR WALL PROVIDE NEW PRIVACY LEVER SET AND CLOSER



**2 EXISTING FIRST FLOOR PLAN**  
 3/16" = 1'-0"



**3 TYPICAL BUILDING SECTION**  
 3/16" = 1'-0"



architecture interior design heritage  
**Davenport Architectural Corp**  
 28 Dunlop Street West  
 Toronto, Ontario  
 L4N 1A2  
 705-722-4899

PROJECT  
**HAWKESTONE COMMUNITY HALL**  
 22 Line 11 N., Hawkestone  
 ORO-MEDONTE, ONTARIO


TITLE  
**FLOOR PLANS**  
 TYPICAL BUILDING SECTION

CHECKED BY	RM	DATE	05/09/19
DRAWN BY	RM	SCALE	AS NOTED
PROJECT No.	1817b	PAGE No.	A1.2

This drawing, as an instrument of service, is provided by and is the property of Davenport Architectural Corp.  
 The contractor must verify and accept responsibility for all dimensions and conditions on site and must notify company of any variations from the supplied information.  
 The company is not responsible for the accuracy of survey, structural, mechanical, electrical, etc., information shown on this drawing. Refer to the appropriate consultant's drawing.  
 Construction must conform to all applicable codes and requirements of authorities having jurisdiction.  
 The contractor working from drawings specifically marked "For Construction" must assume full responsibility and bear costs for any corrections or damages resulting from this work.

1.	ISSUED FOR PRICING	15/5/19
REV.	DESCRIPTION	DATE

- GENERAL NOTES**
- LEGEND**
- NEW WORK PROPOSED IN THIS PART OF EXISTING BUILDING
  - DENOTES ITEMS TO BE REMOVED
  - REQUIRED FRR SEPARATION LOCATION
  - EXIT LIGHT
  - EMERGENCY LIGHT C/ BATTERYPACK
  - 1 OR 2 HEAD REMOTE EMERGENCY LIGHT
  - MIN. 10LBS ABC TYPE FIRE EXTINGUISHER
  - SMOKE DETECTOR/ALARM
  - CARBON MONOXIDE DETECTOR/ALARM
  - LOW NOISE 100 CFM EXHAUST FAN
  - FROST PROOF HOSE BIB
  - HYDRO METER
  - GAS METER
  - SIGNAGE FOR POSTED OCCUPANT LOAD
  - WEeping TILE LINE
- NOTE: E = EXISTING TO REMAIN NO DESIGNATION  
 R = EXISTING TO BE REMOVED  
 N = NEW  
 N.C. = NOT IN CONTRACT  
 O.C. = ON CENTER  
 PTWD = PRESSURE TREATED WOOD




architecture interior design heritage **Davenport Architectural Corp**  
 28 Dunlop Street West  
 Toronto, Ontario  
 L4N 1A2  
 705-722-4899

PROJECT  
**EADY COMMUNITY HALL**  
 73 Eady Stn Rd., Coldwater  
 ORO-MEDONTE, ONTARIO


TITLE  
**FLOOR PLANS**  
 TYPICAL BUILDING SECTION

CHECKED BY	RM	DATE	05/09/19
DRAWN BY	RM	SCALE	AS NOTED
PROJECT No.	1843	PAGE No.	A1.3




**3 EXISTING BASEMENT PLAN**  
 A1.3 3/16" = 1'-0"

- DOOR SCHEDULE**
- DR EXISTING DOOR TO REMAIN
  - DD EXISTING DOOR TO BE REMOVED
  - D1 RESERVED.
  - D2 NEW 1 3/4" SOLID WOOD DOOR SUITABLE TO MEET REQUIREMENTS FOR CLOSURES IN 1HR FRR WALL PROVIDE NEW PRIVACY LEVER SET AND CLOSER




**4 STEEL HANDRAIL DETAIL**  
 A1.3 N.T.S.




**1 TYPICAL BUILDING SECTION**  
 A1.3 3/16" = 1'-0"

This drawing, as an instrument of service, is provided by and is the property of Davenport Architectural Corp.  
 The contractor must verify and accept responsibility for all dimensions and conditions on site and must notify company of any variations from the supplied information.  
 The company is not responsible for the accuracy of survey structural, mechanical, electrical, etc., information shown on this drawing. Refer to the appropriate consultant's drawing.  
 Construction must conform to all applicable codes and requirements of authorities having jurisdiction.  
 The contractor working from drawings specifically marked "For Construction" must assume full responsibility and bear costs for any corrections or damages resulting from this work.


1.	ISSUED FOR PRICING	15/5/19
REV.	DESCRIPTION	DATE



1 EXISTING BASEMENT PLAN  
 A1.4 3/16" = 1'-0"



2 EXISTING FIRST FLOOR PLAN  
 A1.4 3/16" = 1'-0"



3 TYPICAL BUILDING SECTION  
 A1.4 3/16" = 1'-0"

DOOR SCHEDULE

- DR EXISTING DOOR TO REMAIN
- DD EXISTING DOOR TO BE REMOVED
- D1 EXISTING T&G SOLID WOOD PANELLER HERITAGE DOOR ADD 1 LAYER OF 5/8" TYPE X GYPBD TO REAR SIDE TO PROVIDE MIN. 3/4HR RATED ASSEMBLY BY MEMBRANE TO MEET REQUIREMENTS FOR CLOSURES IN 1HR FRR WALL. PROVIDE NEW DEADLOCK AND CLOSER. THIS DOOR IS FOR ACCESS ONLY TO A SPACE NOT NORMALLY INTENDED FOR OCCUPANCY AS PER 3.4.1.1(1)

NOTE FOR THE PURPOSES OF OBC DIV A PART 1 1.4.1.2 AS IT MAY APPLY TO PART 11 OF THE CODE THIS BUILDING IS A HERITAGE BUILDING.

**GENERAL NOTES**

**LEGEND**

- NEW WORK PROPOSED IN THIS PART OF EXISTING BUILDING
- DENOTES ITEMS TO BE REMOVED
- REQUIRED FRR SEPARATION LOCATION
- EXIT LIGHT
- EMERGENCY LIGHT C/ BATTERPACK
- 1 OR 2 HEAD REMOTE EMERGENCY LIGHT
- MIN. 10LBS ABC TYPE FIRE EXTINGUISHER
- SMOKE DETECTOR/ALARM
- CARBON MONOXIDE DETECTOR/ALARM
- LOW NOISE 100 CFM EXHAUST FAN
- FFRHB FROST PROOF HOSE BIB
- HYDRO METER
- GAS METER
- SIGNAGE FOR POSTED OCCUPANT LOAD
- WEEPING TILE LINE

NOTE: E = EXISTING TO REMAIN NO DESIGNATION  
 R = EXISTING TO BE REMOVED  
 N = NEW  
 N.I.C. = NOT IN CONTRACT  
 O.C. = ON CENTER  
 PTWD = PRESSURE TREATED WOOD

NORTH

STAMP  
 ONTARIO ASSOCIATION OF ARCHITECTS  
 ROBERT J. MCNEILL  
 LICENSE 3902

architecture interior design heritage

**Davenport Architectural Corp**

28 Dunlop Street West  
 Brantford, Ontario  
 L4N 1A2  
 705-722-4899

PROJECT  
**CARLEY COMMUNITY HALL**  
 370 Warminster Sd Rd, Moonster  
 ORO-MEDONTE, ONTARIO

TITLE  
**FLOOR PLANS**  
 TYPICAL BUILDING SECTION

CHECKED BY	MM	DATE	05/09/19
DRAWN BY	RM	SCALE	AS NOTED
PROJECT No.	1843	PAGE No.	A1.4